






Glass
Premium Glass Hardware



Proposal inquiry „Cutted glass“

incl. drill holes and cutouts



Your specifics

Art.no. _____

H _____ mm B _____ mm T _____ mm

Fittings:

- _____ x Art.no. _____
- _____ x Art.no. _____
- _____ x Art.no. _____
- _____ x Art.no. _____

Sketch:



Example


Art.no. 48.1000.010.00

H 1983 mm B 841 mm T 10 mm

Fittings:

- 1 x Art.no. 45.2150.000.12
- 1 x Art.no. 45.2152.000.12
- 1 x Art.no. 45.2155.000.12
- 1 x Art.no. 47.5405.025.12

Sketch:



Sender

Name _____

Telephone _____

Company _____

Fax _____

Street _____

E-Mail _____

Postcode, town _____

Toughened glass - 1000



- float -

Art.no.	glass thickness (T)
48.1000.004.00	4 mm
48.1000.005.00	5 mm
48.1000.006.00	6 mm
48.1000.008.00	8 mm
48.1000.010.00	10 mm
48.1000.012.00	12 mm
48.1000.015.00	15 mm

Toughened glass - 2100



- grey -

Art.no.	glass thickness (T)
48.2100.004.00	4 mm
48.2100.006.00	6 mm
48.2100.008.00	8 mm
48.2100.010.00	10 mm


Toughened glass - 2150



- bronze -

Art.no.	glass thickness (T)
48.2150.004.00	4 mm
48.2150.006.00	6 mm
48.2150.008.00	8 mm
48.2150.010.00	10 mm


Toughened glass - 2200



- satinato -

Art.no.	glass thickness (T)
48.2200.004.00	4 mm
48.2200.006.00	6 mm
48.2200.008.00	8 mm
48.2200.010.00	10 mm

Toughened glass - 2250



- mastercarré -

Art.no.	glass thickness (T)
48.2250.004.00	4 mm
48.2250.006.00	6 mm
48.2250.008.00	8 mm
48.2250.010.00	10 mm

Laminated glass - 3000



- float -

Art.no.	glass thickness (T)
48.3000.007.00	6,38 mm (3 - 0,38 - 3)
48.3000.009.00	8,76 mm (4 - 0,76 - 4)
48.3000.011.00	10,76 mm (5 - 0,76 - 5)
48.3000.013.00	12,76 mm (6 - 0,76 - 6)

Laminated glass - 3200



- semi-toughened -

Art.no.	glass thickness (T)
48.3200.018.00	17,52 mm (8 - 1,52 - 8)

Mirrors - 5000



- silver -

Art.no.	glass thickness (T)
48.5000.004.00	4 mm
48.5000.006.00	6 mm